	Application No.	Applicant(s)
Notice of Allowability	09/616,477	NOEL ET AL.
	Examiner	Art Unit
	Daniel I Pymon	2665
	Daniel J. Ryman	2665
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate communication is sufficiently.	this application. If not included nication will be mailed in due course. THIS
1. This communication is responsive to <u>Amendment filed 11/15/2005</u> .		
2. The allowed claim(s) is/are 1,3-15,17-26 and 28-53, renumbered as claims 1-50, respectively.		
3. ☐ Acknowledgment is made of a claim for foreign priority ur a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have		· (f).
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date	6. ☐ Interview Sur Paper No./N 7. ☑ Examiner's A	Mail Date Amendment/Comment Statement of Reasons for Allowance

Application/Control Number: 09/616,477 Page 2

Art Unit: 2665

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Christopher Bernard on 12 January 2006.

The application has been amended as follows:

- In claim 1, line 13, "test" has been changed to --test port--.
- In claim 3, lines 2-3, "system a port card" has been changed to --system includes a port card--.
- Claim 16 has been canceled.
- In claim 17, line 5, "attachment; and" has been changed to --attachment.--.
- In claim 17, lines 6-13 have been canceled.
- In claim 29, line 4, "of multicasting" has been changed to --multicasts--.
- In claim 31, lines 4-5, "capable of being connected" has been changed to --connected--.
- In claim 31, line 8, "capable of being programmed" has been changed to --programmed--.
- In claim 31, line 13, "capable of transmitting" has been changed to --transmits--.
- In claim 35, line 3, "capable of being coupled" has been changed to --coupled--.

Application/Control Number: 09/616,477 Page 3

Art Unit: 2665

- In claim 35, lines 7-8, "capable of being programmed" has been changed to --programmed--.

- In claim 35, lines 12-13, "with minimal modification and no" has been changed to --with no--.
- In claim 38, line 1, "sendmg" has been changed to --sending--.
- In claim 45, line 2, "capable of being connected" has been changed to --connected--.
- In claim 45, line 3, "capable of being programmed" has been changed to --programmed--.
- In claim 48, line 3, "is capable of multicasting" has been changed to --multicasts--.
- In claim 49, lines 4-5, "for multicasting" has been changed to --multicasts--.
- In claim 51, lines 2-3, "capable of being connected" has been changed to --connected--.
- In claim 51, line 6, "capable of being programmed" has been changed to --programmed--.
- In claim 51, line 7, "test" has been changed to --test port--.
- In claim 51, line 10, "data" has been changed to --data transfer--.
- In claim 52, line 8, "test" has been changed to --test port--.
- In claim 52, line 11, "data" has been changed to --data transfer--.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Daniel J. Ryman whose telephone number is (571)272-3152. The examiner can normally be reached on Mon.-Fri. 7:00-4:30 with every other Friday off.

Application/Control Number: 09/616,477

Art Unit: 2665

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Huy Vu can be reached on (571)272-3155. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

UK

Daniel J. Ryman Examiner Art Unit 2665 Page 4

HUY D. VU SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600